
Fe-Cr ALLOY STRUCTURE...MANUFACTURING METHOD THEREOF
Inventor: Yoshihiro Yazawa et al.
Sheet 1 of 5
Docket No.: 1116-03
Piper Rudnick LLP (215) 656-3381


1/5

FIG. 1A



UNIT: mm

FIG. 1B



UNIT: mm

Fe-Cr ALLOY STRUCTURE...MANUFACTURING METHOD THEREOF


Inventor: Yoshihiro Yazawa et al. Sheet 2 of 5

Docket No.: 1116-03 Piper Rudnick LLP (215) 656-3381

FIG. 2




A: NO PEELING B: PARTIAL PEELING C: PEELING



3 / 5

FIG. 3



4 / 5

FIG. 4A




FIG. 4B




FIG. 5A





FIG. 5B




Fe-Cr ALLOY STRUCTURE...MANUFACTURING METHOD THEREOF Inventor: Yoshihiro Yazawa et al. Sheet 5 of 5 Docket No.: 1116-03

Piper Rudnick LLP (215) 656-3381

5 / 5

FIG. 6



TIME	TEMPER- ATURE	HUMIDITY
0.5 hr.	35°C	≥95%
1.0 hr.	60°C	<b>≦</b> 40%
1.0 hr.	40°C	≥95%

FIG. 7

